

مَنْزِلُ حَقِيقَةِ

[illegible][illegible]

7. $\frac{1}{2} \cdot \frac{3}{4} = \frac{3}{8}$

7.1.1 $\omega_{\text{شعر}} \omega_{\text{شعر}} (\omega_{\text{شعر}} - 1)$

7.1.2 ﴿لَا يَخْشَى الْفِتْنَةَ سِوَاكَ﴾ (سُورَةُ شُورَا - 2)

7.1.3 رَرِوَوَدُو دُرُ رَسْرُد اَحِر زَرِب دَر تَر مَور (سَوْن سَمُور - 3)

7.1.4 دُشَوْرِيَّ مَعَهُ رَدِّيَزَرْدَرُم (سُونِ مَسُور - 4)

7.1.5 حَ تَرَوْحُمَا (سورة مؤمنون - 5)

[illegible]

8. $\frac{1}{2} \times \frac{3}{4} = \frac{1 \times 3}{2 \times 4} = \frac{3}{8}$

[illegible][illegible]

9. $\frac{1}{2} \times \frac{3}{4} = \frac{1 \times 3}{2 \times 4} = \frac{3}{8}$

[illegible][illegible]

1. هَوَسَر رَعَدُو دِي دَا قَتَم رَقُو دِي نَبِسِر هَوَدَر لَاسُو دِلسِر زُسُوسَر سَجَّ هَكَوَر
زُسُر دَر نَسَر سَج رَحَر كَر، اَدَسَر دَسَر حَر (اَسَر/اَسَر) زُسُو سَر فَو.

10. $\frac{1}{2} \times \frac{3}{4} = \frac{3}{8}$

[illegible]

(سر) مکتوبات میرزا محمد باقر خان

[illegible]

11. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

[illegible]

12. $\frac{1}{2} \times \frac{3}{4} = \frac{3}{8}$

[illegible]

13. رَجُلٌ مِمَّنْ

[illegible][illegible]

14. **حَدَّثَنَا**

[illegible]

3. قَوَائِدُ تَقْرِئُكُمْ عَنْ سِرِّهِمْ دُونَ نَسْأَةِ اِيْزِزٍ قُوْ، دَسُوْا لَعُوْهُ سَرَدُ، اُرْدُوْا لَعُوْهُ اُرْدُوْا تَقْرِئُكُمْ
سِرِّهِمْ دُونَ سَرْدُوْا سَرْدُوْا.

1. مَعْدَدُ دَعَايِهِ دُرَرٌ رَسْمِيَّةٌ وَتَقْرَأُ 90 (مُتَوَاتِرًا) تَقْرَأُ فَوْجًا عَ
دَمَقِيمًا رَسْمِيًّا.

15. دُرُودِ رُوحِ قُدُّوسِ

1. مَعْنَى الْمَرْفُوعِ الْمَعْلُومِ مَعْنَى الْمَرْفُوعِ الْمَعْلُومِ مَعْنَى الْمَرْفُوعِ الْمَعْلُومِ
مَعْنَى الْمَرْفُوعِ الْمَعْلُومِ مَعْنَى الْمَرْفُوعِ الْمَعْلُومِ مَعْنَى الْمَرْفُوعِ الْمَعْلُومِ

2257.16

زمرہ عربیہ

چند روز بعد

16.1.1 $\text{فَمِنْهُمْ نَفْسٌ مِمَّنْ كَفَرَ}$ (عَمْرُوهُ 2)

[illegible]

16.1.3 رُسُوْدُ لَحْرِ، لَحْرٌ دَحْرٌ وَدَحْرٌ سُرْمِيٌّ وَرَحْرٌ عَرِيٌّ حَرْجٌ سَوْفَعٌ عَرِيٌّ لَحْزِيٌّ) حَرْجٌ سَوْفَعٌ عَرِيٌّ

[illegible][illegible]

6620068

1. $\frac{1}{x^2} = x^{-2}$ $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$

2. ھۆججەتدە قارىتىلغان رەقەملەر ھۆججەت ۋە رەقەملەر ھۆججەتدە،
بىر قانچە رەقەملەر ھۆججەت ۋە رەقەملەر ھۆججەتدە.

[illegible]

22.1.1 مَوَدَّةٌ مَحْمُودَةٌ مُجَرَّدَةٌ مُخَصَّصَةٌ

22.1.2 رُبُّكَ يَوْمَ تَوُودُ الْمَلَائِكَةُ أُولَئِكَ حَتَّىٰ إِذَا خَرَبُوا الْمَسَاجِدَ وَبَنَاتِهِمْ وَإِحْسَانِ الْإِنسَانِ

مَدْرَسَةُ مَدِينَةِ مَكَّةَ

[illegible]

1. **سَرَرَتُ ۞ مَوَسَّعَتَا ۞ فُتِحَتَا ۞ لَعْنَةُ ۞** 22:1 **كَرِهَ ۞ لَاسَرَّاسَ ۞ فُجِرَدَا ۞**
مَوَسَّعَتَا ۞ **مَوَسَّعَتَا ۞ فُتِحَتَا ۞ لَعْنَةُ ۞** "بَعَثَرُوهُ" 6 - **مَوَسَّعَتَا ۞ فُجِرَدَا ۞**
حَسَرَتَا ۞ "كَرِهَ ۞ لَاسَرَّاسَ ۞ فُجِرَدَا ۞"

٥٢٢ ٥٤٣

[illegible]

زَوَّجُوا بَنَاتَهُنَّ

تاسرے ارغوس

[illegible]

لَا تُرْسِدُنِي فِي الْغَيِّ



6620068

6620068

3 - ސަލާމަތު

އަދިތަމުވުމުގެ ގޮތުން ދަންނަވާ ފަރާތްތަކުގެ ނަންމު

1. "މަސަލާހުގެ ވަނަ ބައި" ގައި ބަޔާންކުރި ގޮތުން، ފަދަ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
2. "މަސަލާހުގެ ދެވަނަ ބައި" ގައި ބަޔާންކުރި ގޮތުން، ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
3. "މަސަލާހު" ގައި ބަޔާންކުރި ގޮތުން ބަޔާންކުރި ބަޔާންކުރި ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
4. "މަސަލާހުގެ ތިންވަނަ ބައި" ގައި ބަޔާންކުރި ގޮތުން ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
5. "އަދިތަމުވުމުގެ ގޮތުން" ގައި ބަޔާންކުރި ގޮތުން، ފަދަ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.

33. ދަންނަވާ

1. ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
2. ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
3. ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.

34. ދަންނަވާ
މަސަލާހު

1. ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.
2. 35.1 ގައި ބަޔާންކުރި ގޮތުން ހިމެނޭ ފަރާތްތަކުގެ ނަންމުތަކުގެ ތެރޭގައި ހިމެނޭ،
އަދި.

35. ދަންނަވާ
ފަރާތްތަކުގެ
މަސަލާހު
މަސަލާހު



lhnaifarucouncil



www.naifaru.gov.mv



info@naifaru.gov.mv



6620068

36.1

زُفْرٌ دُرٌّ
رَوْحٌ دُرٌّ

دُورِ عَرَمِ

38. فتح مبرک دس گز ستر

۱۰۵

فصل دوم در بیان احوال و حال





عَلَّمَ عَزَّ وَجَلَّ

سرمدی سرگدی

45. **ثُمَّ سَوَّاهُ**

- $\vec{r}_1 = r_1 \hat{r}_1$ (10)
- $\vec{r}_2 = r_2 \hat{r}_2$ (11)
- $\vec{r}_3 = r_3 \hat{r}_3$ (12)

[illegible]

وَمِنْهُمْ مَّنْ يَّهْدِي اللَّهُ سَبِيلَهُ وَمِنْهُمْ مَّنْ يَّضَلُّ اللَّهُ سَبِيلَهُ ۚ إِنَّ اللَّهَ ذُو الْقُدْرَةِ الْعَظِيمَةِ

[illegible]

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ: 2

	1. دَسَہِ سَافِ:	قِسْمَتِ سَافِ سَہِ سَہِ:	
	قِسْمَتِ سَافِ سَہِ سَہِ:	مَدِ سَہِ سَہِ سَہِ:	
	مَدِ سَہِ سَہِ سَہِ:	سَہِ سَہِ سَہِ سَہِ:	

[illegible]

جہاز قیصر / ایمپریال سروس:	کریج سٹیج پر سروس:		
کریج سٹیج پر ڈائریکٹر:	جہاز قیصر میں سروس:		
ڈیپٹی سروس:	پرنسپل:		
پرنسپل سروس:	جی. ایس. سی. سروس:		

3. دَسَوِیَی دَسَوِیَی دَسَوِیَی

[illegible]

	نمبر وٽ (مذمت)
	ج.ا.س.ج (ج.ا.س.ج رڪنن جي ا.س.ج مٿي مٿي جي ٽن ٽن وٽ وٽ وٽ)
	ج.ا.س.ج
	ج.ا.س.ج (ج.ا.س.ج وٽ وٽ)
	ج.ا.س.ج (ج.ا.س.ج وٽ وٽ)



[illegible]

4 ބަންދުވާ 4

މިއަހަރުގެ ބަންދުވާ 4

ބަންދުވާ 4 ގެ ބަންދުވާ 4 ގެ ބަންދުވާ 4			
#	ބަންދުވާ 4 ގެ ބަންދުވާ 4	ބަންދުވާ 4 ގެ ބަންދުވާ 4	ބަންދުވާ 4 ގެ ބަންދުވާ 4 (ބަންދުވާ 4 ގެ ބަންދުވާ 4)
1			
2			
3			
4			
5			
ބަންދުވާ 4			

ބަންދުވާ 4 ގެ ބަންދުވާ 4

	ބަންދުވާ 4 ގެ ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4
	ބަންދުވާ 4



lhnaifarucouncil



www.naifaru.gov.mv



info@naifaru.gov.mv



6620068

ދިވެހިރާއްޖޭގެ ޖުމްހޫރިއްޔާ ގެ ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް ގެ ނަންބަރު 3 (އިތުރު) ގައި ބަޔާންކުރި ގޮތުގައި ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް ގެ ނަންބަރު 3 (އިތުރު) ގައި ބަޔާންކުރި ގޮތުގައި

ޖުމްހޫރީ ރައީސް ގެ ނަންބަރު 3 (އިތުރު) ގައި ބަޔާންކުރި ގޮތުގައި ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް ގެ ނަންބަރު 3 (އިތުރު) ގައި ބަޔާންކުރި ގޮތުގައި				
(މިއަހަރުގެ ތެރޭގައި ހިމެނޭ ގޮތުގައި ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް ގެ ނަންބަރު 3 (އިތުރު) ގައި ބަޔާންކުރި ގޮތުގައި)				
#	ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް	ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް	ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް	ސަރުކާރުގެ ޖުމްހޫރީ ރައީސް
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

ޖުމްހޫރީ ރައީސް ގެ ނަންބަރު 3 (އިތުރު) ގައި ބަޔާންކުރި ގޮތުގައި

	ޖުމްހޫރީ ރައީސް:
	ސަރުކާރު:
	މަޢުލޫމާތު:
	އިތުރު މަޢުލޫމާތު ސަރުކާރު:
	މަޢުލޫމާތު:
	ސަރުކާރު:
	މަޢުލޫމާތު:



وَمِنْهُمْ مَّنْ يَّجْعَلُ مَالَهُ أَثَرًا

- [illegible]

[illegible]

ردیف	اسم	موضوع
۴		موضوع: درخواست نامزدی برای شرکت در آزمون استخدامی دستگاه اجرایی استان تهران موضوع: درخواست نامزدی برای شرکت در آزمون استخدامی دستگاه اجرایی استان تهران (G-23/2022)



Form of Tender Security (Bank Guarantee)

The Issuing Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.

..... {Bank's Name, and Address of Issuing Branch or Office}

Beneficiary: {Name and Address of Employer}

Date:

TENDER GUARANTEE No.:

We have been informed that {name of the Tenderer} (hereinafter called "the Tenderer") has submitted to you its Tender dated (hereinafter called "the Tender") for the execution of {name of contract} under Invitation for Tenders No. ("the IFB").

Furthermore, we understand that, according to your conditions, Tenders must be supported by a Tender guarantee.

At the request of the Tenderer, we {name of Bank} hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [amount in figures] (.....)

[amount in words] upon receipt by us of your first demand in writing accompanied by a written statement stating that the Tenderer is in breach of its obligation(s) under the Tender conditions, because the Tenderer:

(a) has withdrawn its Tender during the period of Tender validity specified by the Tenderer in the Form of Tender; or

(b) having been notified of the acceptance of its Tender by the Employer during the period of Tender validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the performance security, in accordance with the ITB.

This guarantee will expire: (a) if the Tenderer is the successful Tenderer, upon our receipt of copies of the contract signed by the Tenderer and the performance security issued to you upon the instruction of the Tenderer; and (b) if the Tenderer is not the successful Tenderer, upon the earlier of (i) our receipt of a copy your notification to the Tenderer of the name of the successful Tenderer; or (ii) {insert date} twenty-eight days after the expiration of the Tenderer's Tender.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458

[Signature(s)]



Performance Security

[The issuing bank, as requested by the successful Contractor, shall fill in this form in accordance with the instructions indicated]

Date: [insert date (as day, month, and year)]

Title of the procurement: [Insert general title of the procurement]

Procurement Reference No: [insert reference]

Bank's Branch or Office: [insert complete name of Guarantor]

Beneficiary: [insert complete name of Employer/Procuring Entity]

Performance Guarantee No:

We have been informed that [name of the Contractor], (hereinafter called "the Contractor") has entered into Contract No. [procurement reference number of the Contract], dated [insert day and month], [insert year], with you, for the execution of [name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Contractor, we [name of the Bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [name of the currency and amount in figures] 1.... (. . . . [amount in words]) such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein. This guarantee shall expire, no later than the day of, 2, and any demand for payment under it must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Employer's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.

..... [Seal of Bank and Signature(s)]

Note: -

All italicized text is for guidance on how to prepare this demand guarantee and shall be deleted from the final document.

1 The Guarantor shall insert an amount representing the percentage of the Contract Price specified in the Contract and denominated either in the currency (ies) of the Contract or a freely convertible currency acceptable to the Employer.

2 Insert the date twenty-eight days after the expected completion date. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.



٩ ٢٠٢٠
٢٠٢٠ ٢٠٢٠ ٢٠٢٠ ٢٠٢٠ ٢٠٢٠
Advance Payment Security

[The bank, as requested by the successful Contractor, shall fill in this form in accordance with the instructions indicated.]

Date: [insert date (as day, month, and year)]

Title of the Procurement: [Insert general title of the procurement]

Procurement Reference No: [insert reference]

[Issuing bank's letterhead]

Beneficiary: [insert legal name and address of Procuring Entity]

ADVANCE PAYMENT GUARANTEE No.: [insert Advance Payment Guarantee no.]

Advance Payment Guarantee No:

We have been informed that [name of the Contractor] (hereinafter called "the Contractor") has entered into Contract No. [procurement reference number of the Contract], dated [insert day and month], [insert year] with you, for the execution of [name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the Conditions of the Contract, an advance payment in the sum [name of the currency and amount in figures] 1 (..... [amount in words]) is to be made against an advance payment guarantee.

At the request of the Contractor, we [name of the Bank], hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [name of the currency and amount in figures] * (..... [amount in words]) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor used the advance payment for purposes other than the costs of mobilization in respect of the Works.

It is a condition for any claim and payment under this guarantee to be made that the advance payment referred to above must have been received by the Contractor on its account number [Contractor's account number], at [name and address of the Contractor's Bank].

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that eighty (80) percent of the Contract Price has been certified for payment, or on the day of 2, whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Employer's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.

..... [Seal of Bank and Signature(s)]

Note:

All italicized text is for guidance in preparing this demand guarantee and shall be deleted from the final document.


1 The Guarantor shall insert an amount representing the amount of the advance payment denominated either in the currency(ies) of the advance payment as specified in the Contract, or in a freely convertible currency acceptable to the Employer.

2 Insert the expected expiration date of the Time for Completion. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.



سَبْعُ مَرَوَاتٍ 10






COFFIN BENCH




Secretariat of Faadhipplhu Naifaru Council

Faadhippolhu Naifaru, Republic of Maldives


DESIGN:	Sharwath Ibrahim
DRAWN BY:	Sharwath Ibrahim
PROJECT:	HINUVAAGE
DATE:	



CUPBOARD FRONT VIEW



CUPBOARD DETAIL VIEW



CUPBOARD SIDE VIEW



CUPBOARD TOP VIEW


KAFUN AREA CUPBOARD




Secretariat of Faadhipplhu Naifaru Council

Faadhippolhu Naifaru, Republic of Maldives


DESIGN:	Sharwath Ibrahim
DRAWN BY:	Sharwath Ibrahim
PROJECT:	HINUVAAGE
DATE:	



CUPBOARD FRONT VIEW



CUPBOARD DETAIL VIEW



CUPBOARD SIDE VIEW



CUPBOARD TOP VIEW


SHOWER AREA CUPBOARD



Secretariat of Faadhipplhu Naifaru Council

Faadhippolhu Naifaru, Republic of Maldives

DESIGN:	Sharwath Ibrahim
DRAWN BY:	Sharwath Ibrahim
PROJECT:	HINUVAAGE
DATE:	



KAFUN TABLE



Secretariat of Faadhipplhu Naifaru Council

Faadhippolhu Naifaru, Republic of Maldives

DESIGN:	Sharwath Ibrahim
DRAWN BY:	Sharwath Ibrahim
PROJECT:	HINUVAAGE
DATE:	

11 ޖަދުވަލު
ހިރާދުގައި ހިންގާ ޖަދުވަލުގެ ތަންދަތްތަކާ ބެހިގެން



12 ޖަދުވަލު

ސަރުކާރުގެ ރާއްޖޭގެ ކަނޑައަޅާފައިވާ ޖަދުވަލު

Qty	Specification	
3	Sensor 1/2.4" CMOS Lens Fixed focal length View angle H: 102.4°, V: 54.9°, D: 120.6° Night mode Built-in IR LED illumination and IR cut filter IR distance 20 m (65 ft) Video compression H.264 Resolution 4MP 2688 x 1512 (16:9) Max. frame rate 30 FPS Image settings Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay Networking interface 10/100 MbE RJ45 port Max. power consumption 4.2W Power method PoE Supported voltage range 37–57V DC Button Factory reset Mounting Surface mount	Indoor Camera Type: Dome
	total	
Qty	Specification	
8	Sensor 5 MP CMOS sensor Lens Fixed focal length View angle H: 84.4°, V: 45.4°, D: 99.8° Night mode Built-in IR LED illumination and IR cut filter Video compression H.264, MJPEG Resolution 2688 x 1512 (16:9) Max. frame rate 30 FPS Image settings Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay Microphone Yes (Can be disabled in software) Networking interface 10/100 MbE RJ45 Max. power consumption 4W Power method PoE Supported voltage range 37–57V DC Button Factory reset Mounting Wall, pole mount and ceiling Operating temperature -20 to 40° C (-4 to 104° F) Operating humidity 0 to 90% noncondensing Certifications FCC, IC, CE Water-Resistant Rating ipx5	Outdoor Camera Type: Bullet



Qty	Specification	
3	Image Sensor 1/2.8" progressive scan CMOS Max. Resolution 1920 × 1080 Shutter Speed 1 s to 1/30,000 s Min. Illumination Color: 0.005 Lux @ (F1.6, AGC ON); B/W: 0.001 Lux @ (F1.6, AGC ON), 0 Lux with IR Slow Shutter Yes Day & Night IR cut filter Zoom 25 × optical, 16 × digital Focus Auto, semi-auto, manual Aperture Max. F1.6 Zoom Speed Approx. 3.6 s Focal Length 4.8 mm to 120 mm FOV Horizontal field of view: 57.6° to 2.5° (wide-tele), Vertical field of view: 34.4° to 1.4° (wide-tele), Diagonal field of view: 64.5° to 2.9° (wide-tele) Supplement Light Type IR Supplement Light Range IR Distance: up to 100 m Proportional Pan Yes Park Action Preset, pattern scan, patrol scan, auto scan, tilt scan, random scan, frame scan, panorama scan Scheduled Task Preset, pattern scan, patrol scan, auto scan, tilt scan, random scan, frame scan, panorama scan, dome reboot, dome adjust, aux output Movement Range (Pan) 360° Movement Range (Tilt) -15° to 90° (auto flip) Pan Speed Pan speed: configurable from 0.1° to 80°/s; preset speed: 80°/s Tilt Speed Tilt speed: configurable from 0.1° to 80°/s, preset speed 80°/s Presets 300 Patrol Scan 8 patrols, up to 32 presets for each patrol Pattern Scan 4 pattern scans Power-off Memory Yes 3D Positioning Yes PTZ Status Display Yes Video Compression Main stream: H.265+/H.265/H.264+/H.264 Sub-stream: H.265/H.264/MJPEG Third stream: H.265/H.264/MJPEG Region of Interest (ROI) 8 fixed regions for each stream Main Stream 50 Hz: 25 fps (1920 × 1080, 1280 × 960, 1280 × 720) 60 Hz: 30 fps (1920 × 1080, 1280 × 960, 1280 × 720) Sub-Stream 50 Hz: 25 fps (704 × 576, 640 × 480, 352 × 288) 60 Hz: 30 fps (704 × 480, 640 × 480, 352 × 240) Third Stream	PTZ Camera (Out Door)



50 Hz: 25 fps (1920 × 1080, 1280 × 960, 1280 × 720, 704 × 576, 640 × 480, 352 × 288) 60 Hz: 30 fps (1920 × 1080, 1280 × 960, 1280 × 720, 704 × 480, 640 × 480, 352 × 240) Video Bit Rate 32 kbps to 16384 kbps H.264 Type Baseline Profile/Main Profile/High Profile H.265 Type Main profile Scalable Video Coding (SVC) H.264 and H.265 encoding Audio Compression G.711/G.722.1/G.726/MP2L2/PCM Audio Bit Rate 64 Kbps (G.711)/16 Kbps (G.722.1)/16 Kbps (G.726)/32-192 Kbps (MP2L2) Audio Sampling Rate 8 kHz/16 kHz/32 kHz/48 kHz Environment Noise Filtering Yes Network Storage NAS (NFS, SMB/CIFS), auto network replenishment (ANR) Protocols IPv4/IPv6, HTTP, HTTPS, 802.1x, QoS, FTP, SMTP, UPnP, SNMP, DNS, DDNS, NTP, RTSP, RTCP, RTP, TCP/IP, UDP, IGMP, ICMP, DHCP, PPPoE, Bonjour, Websocket, Websockets API Open Network Video Interface (Version 19.12, Profile S, Profile G, Profile T), ISAPI, SDK, ISUP Security Password protection, complicated password, HTTPS encryption, 802.1X authentication (EAP-TLS, EAP-LEAP, EAP-MD5), watermark, IP address filter, basic and digest authentication for HTTP/HTTPS, RTP/RTSP over HTTPS, control timeout settings, security audit log, TLS 1.2, TLS 1.3, host authentication (MAC address) Power 12 VDC, max. 18 W, including max. 1.6 W for heater and 9 W for IR; PoE (802.3at) Operating Condition -30 °C to 65 °C (-22 °F to 149 °F). Humidity 90% or less (non-condensing) Demist Yes Material ADC12 Dimension Ø 164.5 mm × 290 mm (Ø	
--	--

